



Pulse

ELECTRONIC SOUL, TASTEFUL FEELING

When designing our new grinder, we have put all of background as a professional coffee machine manufacturer.

Thus, Expobar Pulse has born not only to perfectly suit our espresso coffee machines, but to introduce a perfect balance between performance and functionality within the grinding process:

- High speed grinder
- 65 and 75 mm Crem Tech™ design flat burrs
- Step less micrometric grinding adjustment
- High resolution display



MAIN USP's & TECHNICAL DATA

High Performance Grinding System

- 75 mm (Exclusive Crem Tech™ design) and 65 mm flat burrs.
- Hardened steel. Titanium and Red Speed special coatings available.
- · High precision and step less micro adjustment.
- High grinding speed up to 5.5 gr per second with 0.2 gr consistency.
- Noise reduction.

Electronics & Functionality

- Easy-to-use high resolution digital display.
- Counters.
- Dosing.
- Single or double shot.
- Continuous / Start & Stop button.
- · Hands free system and adjustable fork in height and outlet to fit different portafilters.
- Portafilter LED light.

Customization

- Matt grey anthracite as per standard. Other colours available.
- Transparent Kostil B hopper with grey-smoky finish as an optional.
- · Branding area.

Dimensions	222 × 263 × 559 mm
Weight	11,5 kg
Power Ratings	10/127 V 60 Hz 220-240 V 50/60 Hz
Body	Aluminium
Grinding Adjustment	Micrometric Step Less
Grinding Speed	5.5g/sec min (HS)
Consistency @ 7 gr	0.2 gr
DB Max	55-65
Burrs Type	Flat
Blades Drawings	Crem Tech™ Exclusive Design (75 mm)
Burrs Made Of	Hardened Steel
Burrs Coatings (Optional)	Titanium / Red Speed
Burrs Size	65 & 75 mm
Hopper Size	Min 1.2 kg
Hopper Material	Kostil B
Hopper Colour	Transparent / Smoked Optional
Display	High Resolution
Dose Mode	1, 2, c, +, - (5 Buttons)

MODELS & OPTIONALS

MODELS

Pulse 65 HS

Pulse 75 HS

OPTIONALS

Smoked Hopper

2 kg Hopper

Burrs Titanium Coating

Burrs Red Speed Coating

Custom Stickers

Metallic plate

POWDER COATING



Grey

Matt Black Ferrari Red

Green

Blue



EXPOBAR



creminternational.com