



CEBO

Espresso Coffee machine



LSF LEAD SUNNY FOODSERVICE CO., LTD.



CEBO

Espresso Coffee machine



MODEL : YCC50A




Fully automated system

It is very convenient to use with one touch system from grinding coffee beans to extract of coffee.



Automatic cappuccino

You can enjoy rich cappuccino by one touch..



AOF system

You can enjoy coffee with automatic control of powder granularity



Availability of hot water

You can have various kinds of tea using hot water.



Attachment and detachment of brewer unit.

The brewer unit can be easily attached and detached, which makes it easier to be washed and keeps it clean.



Filter for scale prevention

The life of the product is prolonged by preventing scale in boiler through use of filter to get rid of compounds of calcium.

The best taste is guaranteed according to coffee menu with the adoption of AOF system.

Dual type boiler

You do not have to wait to get hot water/steam.



Energy saving system

Electricity is not wasted with automatic power off when the coffee maker is not in use for hot water/steam for a certain period of time.



Self-directed system

The current status of the coffee maker is shown on the LCD screen.



Strong pump

The taste of coffee becomes much better due to strong pressure(16 Bar).



Adjustment of amount of extract

The amount of extract can be varied by your choice.



Automatic rinsing function

The coffee machine is maintained as clean by periodic automatic cleaning.



MODEL : YCC50C

Fully automated coffee machine (CEBO) makes you conveniently enjoy various types of coffee such as espresso, cappuccino, cafe latte, etc, at home in office and where customer service is needed.

CEBO[®]
Espresso & Cappuccino Machine



CEBO can extract espresso coffee using coffee beans and you can enjoy coffee with one touch.

SPECIFICATION

Consumption electric power : 1260w
Water reservoir capacity : 1.6 liters
Bean container capacity : 200g
Dimensions : 270(w)x410(d)x390(h)
Weight : 9 kg
Adjustment coffee of fineness :
450~750mm (auto.)
Adjustment coffee powder : 7~12g
Boiler: hot water boiler 500cc
Pump pressure: 16bar
Milk storage tank: 0.5 liters

LSF 立璦股份有限公司

LEAD SUNNY FOODSERVICE CO., LTD.

IF.,NO.308,SEC.1,DATONG RD.,XIZHI DIST.,NEW CITY.TAIWAN

TEL : 886-2-2643-5000 FAX : 886-2-2643-0571

www.lead sunny.com.tw